

# Punch driver sets

Hydraulic punch driver & accessories



## Hand hydraulic punch driver

The compact, lightweight hand hydraulic punch driver makes it easy to punch holes into stainless V2A steel, mild steel, aluminium or plastics with a max. sheet thickness of 3 mm (V2A: 2 mm), due to its high hydraulic force. The cylinder of the punch driver rotates 360° on 3 axles, so maximum flexibility even in hard-to-reach places is provided.

The punch driver can be used with all icotek punches and also with punches of other manufacturers.

### **Scope of delivery:**

- 1 hand hydraulic punch driver (weight: 2 kg)
- 1 draw stud Ø 9.5 mm (3/8" UNF) to Ø 19 mm (3/4" UNF), L: 105 mm
- 1 draw stud Ø 19 mm (3/4" UNF), L: 130 mm
- 1 spacer
- 1 tube lubricant\*
- 1 HSS co-pilot drill (multi step drill)\*
- 1 robust plastic storage case
- Set PRO 16-31: 1 each knockout punch M16 | M20 | M25 | M32
- Set PRO 16-63: 1 each knockout punch M16 | M20 | M25 | M32 | M40 | M50 | M63
- Set PRO 16-63 V2A: 1 each knockout punch M16 | M20 | M25 | M32 | M40 | M50 | M63 for stainless steel

\*Not included in Set LIGHT

## Hydraulic foot pump

Universally applicable single-stage foot pump with a fixed operating pressure of 450 bar and built-in pressure relief valve. Suitable for all icotek round punches, rectangular and square punches. Keeps your hands free to position the sheet metal punch precisely, especially when using larger sheet metal punches.

### **Scope of delivery:**

- 1 foot pump
- 2,5 m high pressure hose including quick coupling
- 1 hydraulic cylinder for holding round and rectangular punch
- 1 draw stud for round punch (steel) M16 - M25
- 1 draw stud for round punch (steel) M32 - M85
- 1 multi-step drill
- 1 spacer
- 1 tube of lubricant

Note: storage case not included in delivery.

## Specifications

Material	Aluminum
----------	----------

## Advantages & Benefits

- Maximum flexibility due to 360° head rotation
- Compact, lightweight aluminum design (2 kg) for fast and easy operation
- High hydraulic force (60 kN, 600 bar) for easy punching
- Robust plastic storage case
- Punch driver also suitable for punches by other manufacturers

## Product Types & Sizes

## Hydraulic foot pump



Part No. **80002**  
EAN **425126932369**  
**0**  
Package quantity **1**  
Punching force **60 kN**  
Operating pressure **450 bar**

## Punch driver set LIGHT



Part **80003**  
No.  
EAN **42512**  
**69332**  
**432**  
Packag**1**  
**e**  
quant**i**  
ty  
Punchi**Plasti**  
ng **c**,  
materi**Mild**  
al **steel**  
**(St)**,  
**Stainl**  
**ess**  
**steel**  
**(V2A)**  
Punchi**60 kN**  
ng  
force  
Operat**600**  
ing **bar**  
pressu  
re



Part **80000**

No.

EAN **42512**

**69316**

**135**

Packag**1**

e

quanti

ty

Punchi **Plasti**

ng **c**,

materi **Mild**

al **steel**

**(St)**,

**Stainl**

**ess**

**steel**

**(V2A)**

Punchi **60 kN**

ng

force

Operat**600**

ing **bar**

pressu

re

Part **80005**

No.

EAN **42512**

**69316**

**142**

Packag**1**

e

quanti

ty

Punchi **Plasti**

ng **C**,

materi **Mild**

al **steel**

**(St)**

Punchi **60 kN**

ng

force

Operat**600**

ing **bar**

pressu

re



Part **80006**

No.

EAN **42512**

**69316**

**159**

Packag**1**

e

quanti

ty

Punchi **Plasti**

ng **C**,

materi **Mild**

al **steel**

**(St)**

Punchi **60 kN**

ng

force

Operat**600**

ing **bar**

pressu

re



No.

EAN

Packag**1**

e

quanti

ty

Punchi **Stainl**

ng **ess**

mater**steel**

al **(V2A)**

Punchi **60 kN**

ng

force

Operat**600**

ing **bar**

pressu

re



**icotek**<sup>®</sup>  
smart cable management