

Hydraulische handponzen

Hand hydraulische pons en accessoires



WE
CONTROL
COMPONENTS

Bestel direct online @ CC Nederland »



Voor aanvragen uit België [klik hier](#) »

Hand hydraulic punch driver

The compact, lightweight hand hydraulic punch driver makes it easy to punch holes into stainless V2A steel, mild steel, aluminium or plastics with a max. sheet thickness of 3 mm (V2A: 2 mm), due to its high hydraulic force. The cylinder of the punch driver rotates 360° on 3 axles, so maximum flexibility even in hard-to-reach places is provided.

The punch driver can be used with all icotek punches and also with punches of other manufacturers.

Scope of delivery:

- 1 hand hydraulic punch driver (weight: 2 kg)
- 1 draw stud Ø 9.5 mm (3/8" UNF) to Ø 19 mm (3/4" UNF), L: 105 mm
- 1 draw stud Ø 19 mm (3/4" UNF), L: 130 mm
- 1 spacer
- 1 tube lubricant
- 1 HSS co-pilot drill (multi step drill)
- 1 robust plastic storage case
- Set PRO 16-31: 1 each knockout punch M16 | M20 | M25 | M32
- Set PRO 16-63: 1 each knockout punch M16 | M20 | M25 | M32 | M40 | M50 | M63
- Set PRO 16-63 V2A: 1 each knockout punch M16 | M20 | M25 | M32 | M40 | M50 | M63 for stainless steel

Hydraulic foot pump

Universally applicable single-stage foot pump with a fixed operating pressure of 450 bar and built-in pressure relief valve. Suitable for all icotek round punches, rectangular and square punches. Keeps your hands free to position the sheet metal punch precisely, especially when using larger sheet metal punches.

Scope of delivery:

- 1 foot pump
- 2,5 m high pressure hose including quick coupling
- 1 hydraulic cylinder for holding round and rectangular punch
- 1 draw stud for round punch (steel) M16 – M25
- 1 draw stud for round punch (steel) M32 – M85
- 1 multi-step drill
- 1 spacer
- 1 tube of lubricant

Note: storage case not included in delivery.

Specificaties

Materiaal	Aluminium
------------------	-----------

Voordelen

- Maximale flexibiliteit dankzij 360 ° rotatie
- Compact, lichtgewicht aluminium ontwerp (2 kg) voor snelle en gemakkelijke bediening
- Hoge hydraulische kracht (60 kN, 600 bar) voor gemakkelijk ponsen
- Robuuste kunststof opbergkoffer
- Pons driver ook geschikt voor ponsen van andere fabrikanten

Producttypes en maten

Hydraulische voetspomp



Art.nr.	80002
EAN	4251269323690
Aantal	1
Ponskracht	60 kN
Bedrijfsdruk	450 bar



Art.nr.	80003
EAN	4251269332432
Aantal	1
Ponsb aar mater aal	Kunst stof, staal (St), Roest vrij staal V2A
Ponskr acht	60 kN
Bedrijf sdruk	600 bar



Art.nr.	80000
EAN	4251269316135
Aantal	1
Ponsb aar mater aal	Kunst stof, staal (St), Roest vrij staal V2A
Ponskr acht	60 kN
Bedrijf sdruk	600 bar



Art.nr. **80005**
EAN **42512**
69316
142
Aantal **1**
Ponsb **Kunst**
aar **stof,**
materi **staal**
aal **(St)**
Ponskr **60 kN**
acht
Bedrijf **600**
sdruk **bar**



Art.nr. **80006**
EAN **42512**
69316
159
Aantal **1**
Ponsb **Kunst**
aar **stof,**
materi **staal**
aal **(St)**
Ponskr **60 kN**
acht
Bedrijf **600**
sdruk **bar**



Art.nr. **80072**
EAN
Aantal **1**
Ponsb **Roest**
aar **vrij**
materi **staal**
aal **V2A**
Ponskr **60 kN**
acht
Bedrijf **600**
sdruk **bar**

icotek[®]
smart cable management